: X-TUBE MATERIAL

: D6005180

: N/A

: D6005 REV A

Date

Friday, 06/06/2008 11:01:44 AM

User:

Linda Lacelle

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 39734

Estimate Number

: 12127

P.O. Number

This Issue

: 06/06/2008

Prsht Rev. First Issue Previous Run : NC

: // : 38345

Type

S.O. No. :

: PURCHASED PARTS

Project Number Drawing Revision

Drawing Number

Drawing Name

Part Number

Material

Due Date : 13/09/2008 Qty:

20 Um:

Each

Written By

Checked & Approved By Comment

: Est Rev:C 04.08.15

Added tolerance to Step 2 KJ/JLM

Additional Product

Job Number:



Seq. #:

Machine Or Operation:

Description:

1.0 PG



PURCHASING



Comment: PURCHASING

Issue P/O: 6521

C 208106106



- a) Extrude as per Dwg D6005 length = 180" (Ref. D6005-180)
- b) Material: 7075-T6/T6511 (WW-T-700/7 or QQ-A-225/9 or QQ-A-200/11)) Seamless aluminum tube
- c) Minimum ultimate tensile strength = 77ksi
- d) Minimum tensile yield strength = 66ksi
- e) Material certification required

2.0

D6005180P

Crosstube material




Comment: Qty.:



1.0000 Each(s)/Unit Total:

20.0000 Each(s)



3.0

PACKAGING 1

PACKAGING RESOURCE #1







Comment: PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage

Ensure material certification is attached

DIMENSIONAL CHECK



4.0 QC6



Comment: DIMENSIONAL CHECK

Ensure Material certification comply to Dwg D6005



Dart Aerospace Ltd

W/O:		WORK ORDER C	HANGES			
DATE	STEP	PROCEDURE CHANGE	Ву	Approval Chief Eng / Prod Mgr	Approva QC Inspecto	
	:					
Part No		PAR #: Fault Category:	NCR: Yes I	No DQA:	Date: _	
			QA: N/	C Closed:	Date: _	
		WORK OPDED NON COME	COMANCE (NCD	1		

NCR:		WORK ORDER NON-CONFORMANCE (NCR)											
	T	Description of NC		Corrective Action Section B		Verification	Annanal						
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector					
						1							
······································													
				•									
							·						
				•									

NOTE: Date & initial all entries

Date: Friday, 06/06/2008 11:01:44 AM User: Linda Lacelle **Process Sheet** Drawing Name: X-TUBE MATERIAL Customer: CU-DAR001 Dart Helicopters Services Job Number: 39734 Part Number: D6005180 Job Number: Seq. #: **Machine Or Operation:** Description: HAND FINISHING1 5.0 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1 INSPECT POWDER COAT/CHEMICAL CO 6.0 QC3 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE #1 7.0 PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 8.0 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CH	IANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approva QC Inspector
Part No	•	PAR #: Fault Category:	NCR: Yes	No DQ	A:	_ Date: _	
			QA:	N/C Close	d:	Date:	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B		Verification	A					
DATE STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector					
				· ••• ,				-				
							×+					
					•	بير ا						


NOTE: Date & initial all entries





	DESIGN CP	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	CHECKED	APPROVED	DRAWING NO.	REV. A
l	#	=ff	D6005 SHEE	1 OF 1
I	DATE		TITLE	SCALE
	00.11.17		CROSSTUBE MATERIAL	1:1
	Α	00.11.17	NEW ISSUE	

SPECIFICATION CONTROL DRAWING



NOTES

1) D6005-XXX CROSSTUBE **LENGTH**

WU39734

WHERE XXX IS LENGTH IN INCHES EG. 128" LONG TUBE: D6005-128

2) MATERIAL: 2.750 OD \times 0.375 WALL 7075-T6/T6511 (WW-T-700/7 OR QQ-A-225/9 OR QQ-A-200/11) SEAMLESS ALUMINUM TUBE.

MINIMUM ULTIMATE TENSILE STRENGTH = 77 ksi MINIMUM YIELD TENSILE STRENGTH = 66 ksi

3) TOLERANCES ARE PER ASTM B210 AS FOLLOWS:

O.D.: \pm 0.006 MEAN (\pm 0.012 INCLUDING OVALITY)

WALL: ±0.015 MEAN (±0.038 INCLUDING ECCENTRICITY)

LENGTH: XXX +0.125/-0.000 STRAIGHTNESS: 0.010" DEVIATION / 12" LENGTH

- 4) EXTREME CARE MUST BE TAKEN TO PROTECT THE OUTSIDE SURFACE OF THE TUBE. OUTSIDE SURFACE MUST BE SMOOTH AND FREE FROM SURFACE DEFECTS SUCH AS SCRATCHES, NICKS, OR DENTS. DEFECTS UP TO 0.005" MAY BE BLENDED OUT LONGITUDINALLY. CIRCUMFERENTIAL GRIND MARKS ARE UNACCEPTABLE.
- 5) CHEMICAL CONVERSION COAT PER DART QSI 005 4.1

Copyright @ 2000 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Dart Ae	rospace L	td								
W/O:			W	ORK ORDER CH	ANGES					, , , , , , , , , , , , , , , , , , ,
DATE	STEP	PRO	OCEDURE CHA	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
					;					
Part No	•	PAR #:	Fault Cate	egory:	NCI	R: Yes I	No DQ	A :	Date:	
						QA: N/	C Close	d:	_ Date: _	
NCR:			WORK ORD	ER NON-CONFO	RMANCE	(NCR				
D.4.75		Description of NC		Corrective Action	Section B		Verification		Approval	Approval
DATE	STEP	Section A	Initial Action Description Chief Eng Chief Eng			Sign & Date	Secti		Chief Eng	QC Inspector
									'	

NOTE: Date & initial all entries

D10005180F

Packinglist ALUnna AG

Customer PO	PO. 00006521
ALUnna ref. no.	29893/1
Date:	08.21.08

Boxmarking:

Dart Aerospace PO. 00006521

Made in Germany

Dest.: Hawkesbury Ont. Canada

We hereby declare that the wooden packing material are totally free from bark and apparently

ree from li	ve plant p	ests									Boxdimension			
Item no.	Вох по.	OD (inch)	ID (inch)	Wall (inch)	Net Weight (lbs)	Tare Ibs	Gross Weight	Pieces	lengths (ft)	Lengths (inch)	Width (inch)	height (inch		
1	1	2,750	0,500	0,375	664	43	707	13	15	181,102	13,386	13,386		
							Ì							
							ŀ				•			
		_										V		
							ļ							
			3				ŀ			, , , , ,				
							-							
		e e		_										
							1							
				•										
				- *****										
									-					
•	•				664	43	707	13				,532 m		

18/0

Abnahmeprüfzeugnis 3.1 - EN 10204:2004

Inspection Certificate 3.1 - EN 10204:2004 | Certificat de Reception 3.1- EN 10204:2004

Kunde:

Dart Aerospace Ltd.

Zeuanisnummer:

1283/08

Client:

1270 Aberdeen Street

Cert No.: / No. du certificat:

K6A1K7

Bestellnummer: Order No. / No. de commande PO 00006521

Produkt:

Hawkesbury, ON Rohre nahtlos gepresst

Auftrag:

29893/1

Product / Produit:

Our Reference/Notre Reference:

Tubes seamless extruded

Spezifikation:

-; AMS - QQ - A - 200/11E; -; -; Spezifikation Dart Aerospace D 6005

Canada

Specification:

7075

Zustand:

T 6511

Werkstoff: Alloy/Alliage:

Abmessung

2,750 INCH

x 2,000 INCH x 0,375 INCH x 180,000 INCH

Temper/État

Size / Dimension

D6005-180 2.750 x 0.375 x 180

Kennzeichnung

ALUnna - Cert No. 1283/08 - 7075 - T6511 - Cast No. 81742 - AMS - QQ - A - 200/11 - 2.750" OD X 0.375" Wall -Heat Lot No. 1837 - ALUnna Order Conf. 29893/1-1 - P.O.00006521

Marking/Marquage:

Stück

301,00

Lieferung

Delivered Material / Matérial délivre:

13 Chemical Analysis / analyse chimique

1. Chemische Analyse					Chemical Analysis / analyse chimique							O George			
1. CH		Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Zr	Bi	Sn	Ni	
Charge/	min.			1,2		2,1	0,18	5,1							
Cast No.	max.	0,40	0,50	2,0	0,30	2,9	0,28	6,1	0,20						
81742		0,07	0,13	1,38	0,04	2,45	0,19	5,73	0,04	0,01	0,03	0,01	0,01	0,01	

2. Mechanische Eigenschaften

Mechanical Properties / Valeurs Mécaniques

Anforderungen Requirements	tensile (Rm) ksi	yield (Rp0,2) ksi	elongation 2" %	elongation A %	Hardness HB	Heat Lot No.
min. max.	77,0	66,0				
1	85,695	78,590	10,0		162	1837 - 13 pcs.

Ergebnis der

Es wird bestätigt, daß die Lieferung geprüft wurde und den Vereinbarungen bei der Bestellannahme

entspricht Prüfungen:

We confirm that the delivery has been tested and applies to the agreements made on receipt of the order Nous confirmons que la livraison a été controlée et correspond avec les conventions faites à la réception de la commande

22.08.2008

Resultats:

Test results:

/ Duda

Certified acc. DIN EN ISO 9001:2000 and DIN EN 9100:2003 valid until 2010-11-11

Cert.- Reg. No.: 001959 QM; 001959 ASH

Abnahmebeauftragter

Aluminiumwerk Unna AG, Uelzener Weg 36, 59425 Unna, Germany



Une société de Transforce

Téléphone: 450 641-9051 fax: 641-9247

4, Chemin du Tremblay. Boucherville (Québec) J4B 6Z5

www.transpel.ca

D - 17803

Date; 09/1	5/2008 Facturé À / Billed	to: MSC S/S Stemship co LTD				
Tracteur Tractor	Chassis Remorque /Trailer	Cliaufeur Driver			livraison delivery	Heure de livraison Time of de ivery
24304	73434.29±7	ROBERT CHRISTIAN		09/16	5/2008	3:00
Full	X Empty	F/B	Toile		Jem	
THE RESERVE AND PERSONS ASSESSED.	éditeur / Shipper	Disponible à / Available at		Date & heur	e de ramassag	/Date & time pickur
MSC 360 St-Jacque	es snite 900	TERMONT°TER001			09/15/20	08
MONTREAL		Booking		Ba	eau & voy / V	essel & voy
CA H2Y 3X1		MSCUHB332602			MSC SEREN	
ler Consi	gnataire / 1st Consignee	€onteneur / Container #			, Taille≠s	ize
DART AERO	n	MSCU7564400			40 HC	
1270 ABERD HAWKESBU	EEN STREET IRV. ON	# de Sceau / Seal #			Poids√We	ight
	,	319833			12409	
2e Consig	mataire / 2nd Consignee	# Conteneur / Container #			Taille / S	ize
TRANSTER! 7600 NOTRE IONTREAL A4C 3K4 514-368-1482	E DAME OUEST ., PQ	Port de / of destination				A STANDARD S
Traverse douar	nière et coursier Border crossing and i	proker Heure d'arrivée / Time of Arri	ival	. Heure o	le départ / Tim	e of departure
		2.30		AME HOUSE THE STATE OF THE STAT		
		Remarque / Remarks				Carrie Carries and
P/U# 435937						
UN#		Matières dangeureuses / Hazardous	S-match	GLASS	C3600.00 0000	Anna de la companya del companya de la companya del companya de la
	AUCUNE RÉCLAMATIO	NOTE AU CLIENT / NOTE TO CU ST INTACT À LA LIVRAISON / ENS N NE SERA ACCEPTÉE SANS AVIS L BE ACCEPTED UNLESS REPORT	SURE SE S AU MO	ER EAL IS INTA OMENTT D	ACT AT TIME E LA LIVRAI	OF DELIVERY
Exceptions :						
	Imprimez client / print ci	stomer		Sig	nature .	
	: Imprimez chauffeur / prin	t driver	\$375.00	Sig	nature	
	gistion Rose	AND A PETER CHONE DAD A DIA DI CHENTE DODINO DI	7. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.		VOUS NE SERE	7

IOUT TEMPS D'ATTENTE CHEZ CE CLIENT DEVRA ÊTRE SIGNÉ PAR LE CLIENT "TIME IN" ET" TIME OUT" OU VOUS NE SEREZ PAS PAYÉ. VOUS DEVEZ AUSSI EN TOUT TEMPS, RAPPORTER LA FORMULE DU CLIENT (FEUILLE DE DÉTAILS DU VOYAGE 8,5 X PREUVE DE RÉCEPTION (SIGNATURE OU ESTAMPE)



MEDITERRANEAN SHIPPING COMPANY (CANADA) Inc

360, St. Jacques Street, Suite 900, Montreal Fax: +1 514 844 4272

Date: 5.15,20%. Time: 3.12.0

Delivery Order

TO THE	ATTENTION OF	

TRANSPEL

205 CHEMIN DU TREMBLAY

Phone: +1 514 844 3711

Deliver Container To:	DART AEROSPACE	Consignee: 1'RANSWORLD SHIPPING USA 1Ni'
	1270 ABERDEEN ST. Hawkesbury, ON K6A 1K7	Drop Off EMPTY At:
Contact: Telephone: Fex:	LINDA LACELLE 613-632-9577	Scheduled Appointment: TOFC/COFC: COFC Live Unload: Yes Comments:
Pick Up At:	Montreal, QC - (.) - TERMONT	PLEASE CALL BEFORE DELIVERY
Vessel / Voyage:	MSC SERENA / 56A	
Роп Of Load: Port Of Discharge:	Bremerhaven, HB, Germany Montreal, QC	

Please pickup the following container(s):

CONTAINER TYPE	CONTAINER NUMBER SEAL NUMBER LAST FREE DATE	BAL NUMBER SHIPPER REFERENCE PICK UP NUMBER	WEIGHT	NUMBER of PACKAGES COMMODITY HAZARDOUS INFORMATION	PICTAGE TYP
40' High Cube	MSCU7564400	MSCUHB332602	5,629 kgs.	9	Зох(ая)
J	W219833		BOXES ALU TUBES HS CODE: 7608208		
		43593723	FREIGHT + ONG	<u>CARRIAGE PREPAII</u>	<u>D</u>
			WAYBILL STRA	AIGHT CONSIGNME	ENT
			AUTOMATIC C.	ARGORELEASE AC	1
			INFORMATION	: ACI SUB- MITTED	CKA
			PROCESSED BY	TRANSWORLD SH	HPP.NG
			UNDER CBSA C	CODE:8U2210608057	3500
		-	Non-Hazardous		

			····		
			5,629	kgs.	
e a managaran et de desemble d'al	If you have any question	ons, please call Brahim Bakri			